

Docket No. 1249.2

PATENT

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Box Patent Application Hon. Commissioner for Patents Washington, D.C. 20231

NEW APPLICATION TRANSMITTAL

Transmitted herewith for filing is the patent application of

Inventor(s):

Aki Tsuji

Jian Liu

For (title):

CAD SYSTEM UTILIZING NETWORK

1. Type of Application

This transmittal is for an original (nonprovisional) application.

- 2. Papers Enclosed
 - A. Required for filing date under 37 C.F.R. 1.53(b) (Regular) or 37 C.F.R. 1.153 (Design) Application
 - 18 Pages of Specification
 - 4 Pages of Claims
 - 6 Sheets of Drawings-Informal
 - **B.** Other Papers Enclosed
 - 1 Page Abstract
 - 3 Pages of declaration and power of attorney
- 3. Declaration or Oath

Executed by: Inventor.

CERTIFICATION UNDER 37 C.F.R. 1.10*

I hereby certify that this correspondence and the documents referred to as attached therein are being deposited with the United States Postal Service in an envelope as "Express Mail Post Office to Addressee," mailing Label Number EL324163770US, addressed to: Box Patent Application, Hon. Commissioner for Patents, Washington, D.C. 20231 on **June 29, 2000**.

Deborah Preza



4. Inventorship Statement

The inventorship for all the claims in this application is the same.

5. Language

English

6. Fee Calculation (37 C.F.R. 1.16)

Regular Application

		CLAIM	S AS FILED		
Claims	Number Filed	Basic Fee Allowance	Number Extra	Rate	Basic Fee 37 CFR 1.16(a) \$690.00
Total Claims (37 CFR 1.16(c))		- 20 =	0 x	\$18.00	\$0.00
Independent Clair (37 CFR 1.16(b))		- 3 =	0 x	\$78.00	\$0.00
Multiple Depende Claim(s), if any (37 CFR 1.16(d))		(+	\$260.00	\$26000
Filing Fe	e Calculation				\$950.00

7. Small Entity Statement(s)

Statement Claiming Small Entity Status (37 CFR 1.9(f) and 1.27(b) – Independent Inventor is attached.

Statement Claiming Small Entity Status (37 CFR 1.9(f) and 1.27(b) – Small Business Concern is attached.

Filing Fee Calculation (50% of above)

\$475.00

8. Fee Payment Being Made at This Time

Filing Fee	\$475.00
Total Fees Enclosed	\$475.00

9. Method of Payment of Fees

Check in the amount of \$475.00 is attached.

10. Authorization to Charge Additional Fees

The Commissioner is hereby authorized to charge the following additional fees by this paper and during the entire pendency of this application to Deposit Account No. 500745.

37 C.F.R. 1.16(a), (f) or (g) (filing fees)

37 C.F.R. 1.16(b), (c) or (d) (presentation of extra claims)

37 C.F.R. 1.16(e) (surcharge for filing the basic filing fee and/or declaration on a date later than the filing date of the application)

11. Instructions as to Overpayment

Credit Deposit Account No. 500745.

Reg. No. 28,761

Tel. No.: (727) 507-8558 Customer No.: 21,901

Client Docket: 1249.2

PATENT TRADEHARK OFFICE

021901

PATENT TRADEHARK OFFICE

Ronald E. Smith

Smith & Hopen, P.A.

15950 Bay Vista Drive, Ste. 220

Clearwater, FL 33760

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re application of:

Aki Tsuji

Jian Liu

Application No.: Filed on:

Filed Concurrently Herewith Filed Concurrently Herewith

Title:

CAD System Utilizing Network

STATEMENT CLAIMING SMALL ENTITY STATUS (37 CFR 1.9(f) and 1.27(b)--SMALL BUSINESS CONCERN

T	hereby	atata	that	T am
1	nereov	state	mai	1 am

the owner of the small business concern identified below:
an official of the small business concern empowered to act on behalf of the concern identified below:

Name of Small Business Concern:

Technote Co., Ltd. 14-13 Funakosi-cho

Address of Small Business Concern:

Hamamatu-shi, Sizuoka-ken

430-0913 Japan

I hereby state that the above identified small business concern qualifies as a small business concern, as defined in 13 CFR 121.12, and reproduced in 37 CFR 1.9(d), for purposes of paying reduced fees to the United States Patent and Trademark Office under Sections 41(a) and (b) of Title 35, United States Code, in that the number of employees of the concern, including those of its affiliates, does not exceed 500 persons. For purposes of this statement, (1) the number of employees of the business concern is the average over the previous fiscal year of the concern of the persons employed on a full-time, part-time or temporary basis during each of the pay periods of the fiscal year, and (2) concerns are affiliates of each other when either, directly or indirectly, one concern controls or has the power to control both.

I hereby state that rights under contract or law have been conveyed to, and remain with, the small business concern identified above, with regard to the invention described in

\boxtimes	the specification filed herewith, with title as listed above.
Ш	the application identified above.
	the patent identified above.

If the rights held by the above-identified small business concern are not exclusive, each individual, concern or organization having rights in the invention is listed below* and no rights to the invention are held by any person, other than the inventor, who would not qualify as an independent inventor under 37 CFR 1.9(c), if that person made the invention, or by any concern which would not qualify as a small business concern under 37 CFR 1.9(d) or a nonprofit organization under 37 CFR 1.9(e).

Each such person, concern or organization having any	rights in the invention is listed below:	•
No such person, concern, or organization e Each such person, concern or organization	exists. is listed below.	
FULL NAME: ADDRESS INDIVIDUAL	\square nonprofit organization	
FULL NAME: ADDRESS INDIVIDUAL	☐ NONPROFIT ORGANIZATION	
I acknowledge the duty to file, in this application or poloss of entitlement to small entity status prior to paying or any maintenance fee due after the date on which state (37 CFR 1.28(b))	g, or at the time of paying, the earliest of the	ne issue fee
I hereby declare that all statements made herein of my on information and belief are believed to be true; an knowledge that willful false statements and the like sboth, under Section 1001 of Title 18 of the United Stajeopardize the validity of the application, any patent statement is directed.	d further, that these statements were made so made are punishable by fine or impris- ates Code, and that such willful false state	le with the onment, or ments may
TECHNOTE CO., LTD.		
By:Aki Tsuji, President	Date:	, 2000

Practitioner's Docket No. 1249.2

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re application of:

Aki Tsuji

Jian Liu

Application No.: Filed on:

Filed Concurrently Herewith Filed Concurrently Herewith

Title:

CAD System Utilizing Network

STATEMENT CLAIMING SMALL ENTITY STATUS (37 CFR 1.9(f) and 1.27(b)—INDEPENDENT INVENTOR)

As a below named joint inventor, I hereby state that I qualify as an independent inventor, as defined in 37 CFR 1.9(c), for purposes of paying reduced fees to the United States Patent and Trademark Office under Sections 41(a) and (b) of Title 35, United States Code, to the Patent and Trademark Office, with regard to the invention described in the specification filed herewith, with title as listed above.

Each such person, concern or organization having any rights in the invention is listed below:

No such person, concern, or organization exists. Each such person, concern or organization is listed below.

ADDRESS

FULL NAME: Technote Co., Ltd. 14-13 Funakosi-cho

Hamamatu-shi, Sizuoka-ken

430-0913 Japan

☐ INDIVIDUAL

☐ NONPROFIT ORGANIZATION

I acknowledge the duty to file, in this application or patent, notification of any change in status resulting in loss of entitlement to small entity status prior to paying, or at the time of paying, the earliest of the issue fee or any maintenance fee due after the date on which status as a small entity is no longer appropriate. (37 CFR 1.28(b)

I hereby declare that all statements made herein of my own knowledge are true and that all statements made on information and belief are believed to be true; and further, that these statements were made with the knowledge that willful false statements and the like so made are punishable by fine or imprisonment, or both, under Section 1001 of Title 18 of the United States Code, and that such willful false statements may jeopardize the validity of the application, any patent issuing thereon, or any patent to which this verified statement is directed.

1,,,1	== ===
i,	
Healt	ħ
1,1,13	=
41114	Ī
1111	Ğ
11 _{tra} ji	Tin.
111111	7
2	
H _{res} P	
Harrie II	ħ
11, 11, 11	
.,,151	
if mile	1111
0,0	===

Aki Tsuji - Inventor	Date:	, 2000
Jian Liu - Inventor	Date:	, 2000

TITLE OF THE INVENTION

CAD SYSTEM UTILIZING NETWORK

BACKGROUND OF THE INVENTION

Field of the Invention

The present invention relates to a CAD system utilizing a network for transmitting CAD graphic data from a server computer connected to a network such as Internet to a client computer.

Description of the Prior Art

In a general CAD system, graphic data for displaying a variety of parts is provided in advance. However, in the case of a CAD system for machine design, a plenty of parts type is handled. In addition, even for the same parts, a plurality of graphic data such as frontal view or side view are required. Therefore, if graphic data on a variety of parts is stored in individual computers, a recording device having a tremendous amount of capacity is required, and an increase in cost is unavoidable.

In addition, in the case where new parts are registered or graphic data on the existing parts is updated, a plurality of graphic data must be added and modified for one part.

In recent years, services of providing a variety of information or data via Internet are becoming more popular, and a CAD system utilizing Internet is considered.

,

For example, a system in which CAD graphic data is stored in advance on a server side connected to Internet, and upon a request from a user side, graphic data is provided from a server side to the user side via Internet is feasible.

In the case of such a CAD system, although there is an advantage that there is no need for storing CAD parts data on the user side, it is required to store in advance various types of parts data corresponding to various parts on the server side.

In addition, in the case where machine design is made, parts having identical shape and different dimensions are occasionally used, but it is almost impossible to store all data on parts having different dimensions individually on the server side from the viewpoint of data capacity.

In addition, if a type of CAD software which the user uses is different from another, a data format of graphic data is generally different from another. Thus, it is required to reserve graphic data by each data format, and a recording device having a tremendous amount of capacity is required.

Further, in the case where new parts are added or graphic data is updated on the server side, a number of graphic data must be changed simultaneously, and data management is cumbersome and costly.

SUMMARY OF THE INVENTION

The present invention has been made in view of such

circumferences. It is an object of the present invention to provide a CAD system utilizing a network where it is unnecessary to prepare graphic data in advance and which can speedily provide the user desired graphic data in accordance with simplified procedure.

In order to solve the aforementioned problems, according to the Claim 1 of the present invention, there is provided a CAD system utilizing a network comprising: a server computer connected to a network; and at least one client computer performing data transmission to said server computer via the network, wherein base data of graphic data for CAD is transmitted from the server computer to the client computer according to a request from the client computer, the server computer comprising: storage means for storing base data of the graphic data; and a program data transmitting section for reading the base data of said graphic data from the storage means according to the request from the client computer and transmit the data to said client computer, the client computer comprising: a program data receiving section for receiving base data of the graphic data; a computing section for producing graphic data based on the base data of the graphic data; and a CAD graphic data producing section for preparing display data capable of being displayed on a graphic display unit in the client computer.

Further, there is provided an CAD system utilizing a network, wherein the data of the graphic data comprises a

plurality of variable programs for drawing different graphics, respectively, and real data to be substituted for each variable in the variable programs, the server computer comprises a variable program storage section for storing the plurality of variable programs; and a read data storage section for storing a plurality of the real data, the program data transmitting section reads a predetermined variable program from the variable program storage section according to a request from the client computer, and reads predetermined real data from the real data storage section, and a computing section of the client computer substitutes the predetermined real data for each variable in said predetermined variable program, and executes the program, thereby producing graphic data.

Further, there is provided a CAD system utilizing a network, wherein the client computer comprises a graphic name list display control section for displaying on a display unit a list of graphic names; the control section being capable of receiving the provision of base data of graphic data from the server computer; and a selected graphic name transmitting section for transmitting to the server computer a name of a graphic selected from a list of the graphic names, the program data transmitting section in the server computer reads the predetermined variable program and the predetermined real data based on the name of the graphic transmitted from the selected graphic name transmitting section.

Further, there is provided a CAD system utilizing a network, wherein the server computer comprises a parts data list storage section for storing a group of parts code number and the real data corresponding to each code number for a respective one of parts enabling graphic display, the program data transmitting section transmits to the client computer parts data list containing a code number and real data according to a request from the client computer, the client computer comprises a code number list display control section for producing a parts code number list from the transmitted parts data list, thereby displaying the list on the graphic display unit, the computing section substitutes real data on parts corresponding a name of parts code number selected from the displayed parts code number list for each variable in the variable program corresponding to the name of the graphic, thereby producing graphic data.

Further, there is provided a CAD system utilizing a network wherein, in the case where part or whole of the real data corresponding to parts code number selected from the parts code number list in the client computer is input data inputted from a user, the computing section in the client computer substitutes the read data read from the parts data list storage section and the input data for each variable in the corresponding variable program, thereby producing graphic data.

Further, there is provided a CAD system utilizing a

network, wherein the client computer has a data format name selection function capable of selecting a data format name of CAD software, and the CAD graphic data producing section converts a format of the graphic data produced by the computing section, and the CAD graphic data of the selected data format is produced.

Further, there is provided a CAD system utilizing a network, comprising a parts database management program for managing parts data in the program data transmitting section in the server computer, wherein parts data is searched according to a request from the client computer, and can be transmitted to the client computer.

BRIEF DESCRIPTION OF THE DRAWINGS

- FIG. 1 is a block diagram depicting a schematic configuration of a CAD system utilizing a network according to the present invention;
- FIG. 2 is a flowchart showing processing operations of the CAD system utilizing the network shown in FIG. 1;
 - FIG. 3 is a flowchart continued from FIG. 2;
 - FIG. 4 is a flowchart continued from FIG. 3;
- FIG. 5 is a view showing a screen display example displayed on a graphic display unit of a client computer, wherein reference numeral 1 denotes a server computer and;
 - FIG. 6 is a block diagram showing a program data

transmitting section of another embodiment; reference numeral 2 denotes a client computer; reference numeral 3 denotes Internet; reference numerals 11 and 21 each denote a data input/output interface; reference numerals 12 and 12' each denote a program data transmitting section; reference numeral 13 denotes a real data storage section; reference numeral 14 denotes a variable program storage section; reference numeral 15 denotes parts data list storage section; reference numeral 22 denotes a graphic name list display control section; reference numeral 23 denotes a selected graphic name transmitting section; reference numeral 24 denotes a parts code number list display control section; reference numeral 25 denotes a program data receiving section; reference numeral 26 denotes a CAD graphic data producing section; reference numeral 28 denotes a graphic display unit; and reference numerals W1 to W8 each denote a display region.

DETAILED DESCRIPTION OF THE PREFERRED EMBODIMENTS

Hereinafter, a CAD system utilizing a network according to the present invention (hereinafter, referred to as a "CAD system") will be specifically described with reference to the accompanying drawings. The CAD system described hereinafter is characterized in that the server side merely transmits real data and a variable program which is a basis of graphics, and

all of the graphic data producing operation and CAD format converting operation are performed by an automatically installed program on the client side.

FIG. 1 is a block diagram depicting a schematic configuration of a CAD system according to the present invention.

As shown in the figure, a server computer 1 and a client computer 2 are connected to each other via an Internet 3.

The server computer 1 comprises a data input/output interface 11, a program data transmitting section 12, a real data storage section 13, a variable program storage section 14, and a parts data list storage section 15. The real data storage section 13 and the variable program storage section 14 are storage means.

The data input/output interface 11 performs data input/output relay.

The program data transmitting section 12 reads a predetermined variable program from the variable program storage section 14 according to a request from the client computer 2; reads predetermined real data from the real data storage section 13; and transmits these read variable program and real data to the client computer.

The variable program and real data is base data of graphic data, and text data. Thus, the transmission time from the server computer 1 to the client computer 1 is very short.

The real data storage section 13 stores plural types of

real data to be substituted for each variable in a variable program. The variable program storage section 14 stores a plurality of variable programs for drawing different graphics, respectively. The parts data list storage section 15 stores a parts data list (including real data) containing parts code number and real data in place of the real data storage section 13.

The client computer 2 comprises a data input/output interface 21, a graphic name list display control section 22, a selected graphic name transmitting section 23, a parts code number list display control section 24, a program data receiving section 25, a computing section 26, a CAD graphic data producing section 27, and a graphic display unit 28.

The data input/output interface 21 performs data input/output relay. The graphic name list display control section 22 displays on the graphic display unit 28 a list of graphic names capable of receiving provision of graphic data from the server computer 1.

The selected graphic name transmitting section 23 transmits to the server computer 1 a name of a graphic selected from a list of graphic names. The parts code number list display control section 24 displays on the graphic display unit 28 a parts code number list capable of receiving provision of base data of graphic data from the server computer 1.

The program data receiving section 25 receives a variable

program and real data from the server computer 1. The computing section 26 substitutes predetermined variable data for each variable in a predetermined variable program, executes the program, and produces graphic data.

The CAD graphic data producing section 27 produces display data capable of being displayed by the graphic display unit 28 based on the graphic data produced by the computing section 26. The graphic display unit 28 performs graphic display based on the display data produced by the CAD graphic data producing section 27.

FIG. 2 to FIG. 4 are flowcharts showing processing operations of the CAD system shown in FIG. 1. Hereinafter, an operation of the CAD system of the present embodiment will be described on the basis of the flowcharts.

First, as shown in FIG. 2 (step S1), the client computer 2 provides access to the server computer 1 via the internet 3. The data input/output interface 11 calls and initiates a parts database management program (step S2).

A graphic data management list is displayed on the display screen of the client computer 2 as shown in (step S3). This list shows a list of parts that can be selected on the client side, and the user can select an arbitrary part from the list by mouse operation or the like.

Next, as shown in (step S4), it is judged whether or not the user select a graphic name from the graphic data management list by mouse operation or the like. In the case where the user selects the name of the graphic, the processing goes to (step S5) in which the selected graphic name is transmitted to the server computer 1. The server computer 1 receives the selected graphic name (step S6).

The parts database management program initiated in (step S2) reads from the parts data list storage section 15 a parts data list corresponding to the user selected graphic name, and then, transmits the list to the client computer 2 via the data input/output interface 11 (step S7).

In addition, the server computer 1, as shown in (step S8), reads from the variable program storage section 14 a variable program corresponding to the selected graphic name, and transmits the program to the client computer 2 via the data input/output interface 11 (step S8).

When the client computer 2 receives the parts data list, it produces a parts code number list from the parts data list (step S9), and displays the produced parts code number list using browse or the like (step S10).

Next, the client computer 2 judges whether or not the user select any code number from among the parts code number list using the mouse or the like (step S17). When the user selects a code number, the computer judges whether or not the user inputs variable data corresponding to the selected code number (step S12 in FIG. 3).

In the case where the user inputs variable data, the input data is added to real data (step S13). Next, real data is substituted for each variable in a variable program, the variable program is executed, and graphic data is produced (step S14). Further, display data is produced from the produced graphic data (step S15).

The display data is created in a data format that can be processed by a general-purpose OS (Operating System) such as Windows or UNIX, for example, GIF file, DWF file, JPG file. Then, the client computer 2, as shown in FIG. 4 (step S16), perform displaying based on the produced display data. Alternatively, graphic data may be directly drawn on the graphic display unit with a program using C language, basic language or the like without producing the display data.

Next, the client computer 2, as shown in (step S17), prompts the user to confirm whether or not a graphic displayed on the graphic display unit 28 is what he or she want. Otherwise, the processing returns to (step S4) in FIG. 2, parts selection is retried. When the graphic is what he or she wants, as shown in (step S18), the computer causes the user to select a CAD drawing data format.

A reason why this processing is provided is that the CAD software data format is not unified. In (step S18), the computer causes the user to select a data format corresponding to the user's CAD software such as DXF file, DWG file, IGES file,

or BMI file.

Next, the client computer 2 reads a format conversion program corresponding to the user selected data format, and initiates the read program (step S19).

The format conversion program, as shown in (step S20), the graphic data produced in (step S14) is converted into the user selected data format, a new file name is assigned, and the data is stored in a recording device. Thereafter, the produced CAD graphic data is displayed on the CAD screen according to the user's instruction.

The foregoing processing operations shown in the flowcharts of FIG. 2 to FIG. 4 are summarized as follows. In (steps S1 to S8), when the user selects parts, the server computer 1 transmits to the client computer 2 variable program and real data (parts data list) which is base data of the graphic data corresponding to the parts.

Next, in (steps S9 to S17), real data corresponding to the user selected code number is substituted for each variable in the program file corresponding to the user selected part to perform arithmetical operation. Based on the arithmetical operation result, graphic data is produced, and the display data is produced to be displayed on the display unit of the client computer 2.

Next, in (step S18 to S20), graphic data is converted into a data format specified by the computer 2, and is stored after

E.

a file name has been assigned.

Thus, in the illustrative embodiment, the server side merely transmits real data which is a basis of graphics; and a variable program, whereby all operations such as graphic data production and CAD format conversion are performed by an automatically installed program on the client side. Thus, there is no need for reserving graphic data in the server computer 1 or client computer 2.

In addition, the variable program and real data from the server computer 1 is text data, and thus, the transmission time from the server computer 1 to the client computer can be reduced significantly.

The user merely selects desired parts from the parts list displayed on the screen, thereby making it possible to acquire graphic data corresponding to the parts. In addition, the user can input variable data such as parts dimensional value in advance, making it possible to obtain graphic data on special parts in accordance with a simplified procedure. Further, the client computer 2 substitutes variable data for each variable in the variable program, thereby producing graphic data. Thus, graphic data having different dimensions can be easily produced, and graphic data with its high precision and high reliability can be provided.

Further, the user can utilize base data of the graphic data downloaded on the client computer 2, and thus, can construct

a unique database with its very low cost. Constructing such database enables reuse or modification of the base data of the downloaded graphic data, and usable and economical database is obtained.

FIG. 5 is a view showing an screen display example displayed on the graphic display unit 28 of the client computer 2. The screen of FIG. 5 shows an example when a part having a hierarchical structure is selected and displayed. In a display region W1 of the screen inside, display data produced by the processing in (step S15) is displayed.

Here, in the display region W1, there is shown a display example of a hexagonal bolt. A final name of parts of this hexagonal bolt is a hexagonal bolt + SW (which means Spring Washer), for example. A variable program for displaying a graphic corresponding that name is of one type (because the shape is identical). However, for variable data, there are 32 types of data whose sizes are difference from M3 to M80. These types of data are arranged so as to be selected from among the code number list produced from the parts data list (including real data).

A page, column is displayed in a display region W2; a first parts list for parts selection of the first hierarchy is displayed in a display region W3; in a display region W4 a second parts list for parts selection of the second hierarchy is displayed for parts selected in the first parts list; and in

a display region W5 a third parts list for parts selection of the third hierarchy of these first to third parts lists is displayed for parts selected in the second parts list. Parts selections of these first to third parts lists correspond to the processing operations of (step S4) shown in FIG. 2. After the server computer has sent a parts data list corresponding to the graphic name selected from the third parts list, a code number list is produced, and is displayed in a display region W6. This corresponds to the processing operations from (step S7) to (step S10).

In addition, an input box for dimensions corresponding to selected parts is displayed in a display region W7 in the screen of FIG. 5, and a specification data selection list is displayed in the lower display region W8.

As shown in FIG. 5, the user select parts in accordance with a menu displayed on the screen of the client computer 2, thereby making it possible to obtain graphic data corresponding to desired parts simply and speedily.

In the aforementioned illustrative embodiment, although an example of producing two-dimensional graphic data has been described, a variable program file or real data is changed, thereby making it possible to produce three-dimensional graphic data.

In addition, in the aforementioned illustrative embodiment, although an example of producing graphic data on

mechanical parts has been described, the present invention is applicable similarly in the case where graphic data on electrical parts such as transistor or diode; or graphic data for architectural members is produced.

Further, in the aforementioned illustrative embodiment, although an example when the server computer 1 and the client computer 2 are connected with each other via the Internet 3, the present invention is applicable in the case where the server computer 1 and the client computer 2 are connected to various networks other than the Internet 3.

In addition, as shown in FIG. 6, the CAD system can comprise a parts database management program for parts data in a program data transmitting section 12' in the server computer. In such case, parts data can be searched according to a request from the client computer 2.

As has been described above in detail, according to the present invention, the server side merely transmits real data which is a base of graphics; and a variable program, whereby all operations such as graphic data production or CAD format conversion are performed by an automatically installed program on the client side. Thus, there is no need for reserving graphic data in the server computer or client computer.

In this manner, the entire system cost can be reduced.

In addition, only the data which is a base of multiple types of graphic data is transmitted, and thus, the data download time

can be reduced significantly. Arbitrary graphic data which each of the users wants can be provided to a number of users via a network, and thus, a CAD system with its high usability and excellent performance can be provided.

In addition, when the user inputs variable data such as dimensional value, graphic data is produced in consideration of the input data. Thus, graphic data with high precision and high reliability can be provided in accordance with the simplified procedure.

Further, real data or a variable program is updated, whereby graphic data on new parts can be provided to a number of users speedily.

WHAT IS CLAIMED IS:

1. A CAD system utilizing a network comprising:

a server computer connected to a network; and

at least one client computer performing data transmission to said server computer via said network, wherein base data of graphic data for CAD is transmitted from said server computer to said client computer according to a request from said client computer, said server computer comprising: storage means for storing base data of said graphic data; and a program data transmitting section for reading the base data of said graphic data from said storage means according to the request from said client computer and transmit the data to said client computer, said client computer comprising: a program data receiving section for receiving base data of said graphic data; a computing section for producing graphic data based on the base data of said graphic data; and a CAD graphic data producing section for preparing display data capable of being displayed on a graphic display unit in said client computer.

2. A CAD system utilizing a network as claimed in claim 1, wherein the data of said graphic data comprises a plurality of variable programs for drawing different graphics, respectively, and real data to be substituted for each variable in said variable programs, said server computer comprises a variable program storage section for storing said plurality of variable programs; and a read data storage section for storing a plurality

of said real data, said program data transmitting section reads a predetermined variable program from said variable program storage section according to a request from said client computer, and reads predetermined real data from said real data storage section, and a computing section of said client computer substitutes said predetermined real data for each variable in said predetermined variable program, and executes the program, thereby producing graphic data.

- 3. A CAD system utilizing a network as claimed in claim 2, wherein said client computer comprises a graphic name list display control section for displaying on a display unit a list of graphic names; the control section being capable of receiving the provision of base data of graphic data from said server computer; and a selected graphic name transmitting section for transmitting to said server computer a name of a graphic selected from a list of said graphic names, said program data transmitting section in said server computer reads said predetermined variable program and said predetermined real data based on the name of the graphic transmitted from said selected graphic name transmitting section.
- 4. A CAD system utilizing a network as claimed in claim 1 or claim 2, wherein said server computer comprises a parts data list storage section for storing a group of parts code number and said real data corresponding to each code number for a respective one of parts enabling graphic display, said program

Ġ,

data transmitting section transmits to said client computer parts data list containing a code number and real data according to a request from said client computer, said client computer comprises a code number list display control section for producing a parts code number list from said transmitted parts data list, thereby displaying the list on said graphic display unit, said computing section substitutes real data on parts corresponding a name of parts code number selected from said displayed parts code number list for each variable in the variable program corresponding to the name of said graphic, thereby producing graphic data.

- 5. A CAD system utilizing a network as claimed in claim 4, wherein, in the case where part or whole of the real data corresponding to parts code number selected from said parts code number list in said client computer is input data inputted from a user, said computing section in said client computer substitutes said read data read from said parts data list storage section and said input data for each variable in said corresponding variable program, thereby producing graphic data.
- 6. A CAD system utilizing a network as claimed in any of claims

 1 to 5, wherein said client computer has a data format name
 selection function capable of selecting a data format name of
 CAD software, and said CAD graphic data producing section
 converts a format of the graphic data produced by said computing


section, and the CAD graphic data of said selected data format is produced.

7. A CAD system utilizing a network as claimed in any of claims 1 to 6, characterized in that said CAD system comprises a parts database management program for managing parts data in said program data transmitting section in said server computer.

ABSTRACT

The present invention is to provide graphic data which a user wants speedily in accordance with a simplified procedure without reserving graphic data.

A server side merely transmits real data which is a base of graphics and a variable program, so that all of graphic data production and CAD format conversion are performed by an automatically installed program on a client side.



...

Fig 1




Fig 3




Fig 4






Fig 5





Declaration and Power of Attorney for Patent Application 特許出願宣言書及び委任状

Japanese Language Declaration

日本語宣言書

私は、以下に記名された発明者として、ここに下記の通り宜言する:	As a below named inventor, I hereby declare that:
私の住所、郵便の宛先そして国籍は、私の氏名の後に記載された通りである。	My residence, post office address and citizenship are as stated next to my name.
下記の名称の発明について、特許請求範囲に記載され、且つ特許が 求められている発明主題に関して、私は、最初、最先且つ唯一の発明 者である(唯一の氏名が記載されている場合)か、或いは最初、最先 且つ共同発明者である(複数の氏名が記載されている場合)と信じて いる。	I believe I am the original, first and sole inventor (if only one name is listed below) or an original, first and joint inventor (if plural names are listed below) of the subject matter which is claimed and for which a patent is sought on the invention entitled
	CAD System Utilizing Network
上記発明の明細書はここに添付されているが、下記の観がチェック されている場合は、この限りでない;	the specification of which is attached hereto unless the following box is checked:
□の日に出版され、 この出版の米国出版番号またはPCT国際出版番号は、 であり、且つ の日に補正された出版(該当する場合)	as United States Application Number or PCT International Application Number and was amended on (if applicable).
私は、上記の補正書によって補正された、特許請求範囲を含む上記明報書を検討し、且つ内容を理解していることをここに表明する。	I hereby state that I have reviewed and understand the contents of the above identified specification, including the claims, as amended by any amendment referred to above.
私は、連邦規則法典第37編規則1.56に定義されている、特許 性について重要な情報を関示する義務があることを認める。	I acknowledge the duty to disclose information which is material to patentability as defined in Title 37, Code of Federal Regulations, Section 1.56.

Burden Hour Statement: This form is estimated to take 0.4 hours to complete. Time will vary depending upon the need of the individual case. Any comments on the amount of time you are required to complete this form should be sent to Chief Information Officer, U.S. Patent and Trademark Office, Washington, DC 20231. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Commissioner of Patents and Trademarks, Washington, DC 20231

Japanese Language Declaration (日本語宣言書)

私は、ここに、以下に記載した外国での特許出版または発明者証の 出版、或いは米国以外の少なくとも一国を指定している米国法典第3 5編第365条 (a)によるPCT国際出版について、同第119条 (a) ·(d)項又は第365条(b)項に基づいて優先権を主張するとともに、

I hereby claim foreign priority under Title 35, United States Code, Section 119(a)-(d) or 365(b) of any foreign application(s) for patent or inventor's certificate, or 365(a) of any PCT International application which designated at least one country other than the United States

優先権を主張する本出版の出版日。 特許出願または発明者証の出版、 いかなる出願も、下記の枠内をチェ	よりも前の出版日を有する外国での 交いはPCT国際出版については、 ェックすることにより示した。	listed below and have also identified any foreign application for patent or International application having a filli application for which priority is claim	inventor's certificate, or PCT ng date before that of the
Prior Foreign Application(s) 外国での先行出版			Priority Not Claimed 優先権主張なし
Heisei 11-185161	Japan	30/06/99	
(Number) (番号)	(Country) (国名)	(Day/Month/Year Filed) (出願日/月/年)	
2000-181944	Japan	16/06/00	
(Number) (番号)	(Country) (闰名)	(Day/Month/Year Filed) (出願日/月/年)	
私は、ここに、下記のいかなる 国法典第35編119条(e)項の和	米国仮特許出版についても、その米 1益を主張する。	I hereby claim the benefit under Titl 119(e) of any United States provision	
(Application No.) (出願番号)	(Filing Date) (出版日)	(Application No.) (出取番号)	(Filling Date) (出版日)
奥第35編第120条に基づく利: なるPCT国際出頭についても、・ を主張する。また、本出頭の各特: 35編第112条第1段に規定を: PCT国際出頭に関示されていな 出版日と本国内出頭日またはPC	る米国出版についても、その米国法 さを主張し、又米国を指達づく利力 でする利力 では、一個では、一個では、一個では、一個では、一個では、一個では、一個では、一個	I hereby claim the benefit under Titt 120 of any United States application International application designating and, insofar as the subject matter of application is not disclosed in the put International application in the mann of Title 35, United States Code Sector to disclose information which is mat Title 37, Code of Federal Regulation available between the filling date of national or PCT International filling of	n(s), or 365(c) of any PCT the United States, fisted below f each of the claims of this rior United States or PCT ner provided by the first paragraph tion 112, I acknowledge the duty terial to patentability as defined in ns, Section 1.56 which became the prior application and the
(Application No.) (出願番号)	(Filing Date) (出版日)	(Status: Patented, Pending, Aba(現況:特許許可、係属中、)	
(Application No.) (出願番号)	′ (Filing Date) (出版日)	(Status: Patented, Pending, Aba(現況:特許許可、係属中、	
且つ情報と信ずることに基づく頭を宣言し、さらに、故意に虚偽の第18編第1001条に基づき、により処罰され、またそのような	の知識に係わる陳述が真実であり、 述が、真実であると信じられること 陳述などを行った場合は、米国法典 罰金または拘禁、若しくはその関策 故意による虚偽の陳述は、本出版ま なる特許も、その有効性に問題が われたことを、ここに宜言する。	I hereby declare that all statements knowledge are true and that all stat and belief are believed to be true; a were made with the knowledge tha like so made are punishable by fine Section 1001 of Title 18 of the Unit willful false statements may jeopard or any patent issued thereon.	tements made on information and further that these statements at willful false statements and the e or imprisonment, or both, under ted States Code and that such

::

Japanese Language Declaration (日本語宣言書)

委任状: 私は本出顧を審査する手続を行い、且つ米国特許兩様庁との全ての緊覇を遂行するために、記名された発明者として、下記の弁護士及び/または弁理士を任命する。(氏名及び登録番号を記載すること)

POWER OF ATTORNEY: As a named inventor, I hereby appoint the following attorney(s) and/or agent(s) to prosecute this application and transact all business in the Patent and Trademark Office connected therewith (list name and registration number).

專類送付先 Ronald E. Smith Smith & Hopen, P.A. 15950 Bay Vista Drive Suite 220 Clearwater, FL 33760

Send Correspondence to:
Ronald E. Smith
Smith & Hopen, P.A.
15950 Bay Vista Drive
Suite 220
Clearwater, FL 33760

直通電話連絡先: (氏名及び電話番号)

Direct Telephone Calls to: (name and telephone number)

Ronald E. Smith (727) 507-8558

Ronald E. Smith (727) 507-8558

唯一または第一発明者氏名		Full name of sole or first inventor
		Aki Tsuji
発明者の署名	日付	Inventor's signature Date
住所		Residence
		Japan
国籍		Citizenship
		Japan
郵便の宛先		Post Office Address
		3-13-3 Kamoe, Hamamatu-shi
		Sizuoka-ken, 432-8023 Japan
第二共同発明者がいる場合、その氏名		Full name of second joint inventor, if any
		Jian Liu
第二共同発明者の署名	日付	Second inventor's signature Date
住所		Residence
		Japan
国籍		Citizenship
郵便の宛先		China Post Office Address
		Room #205 Sanshalum-satoucho
		2-4-1 Sato, Hamamatu-shi Sizuoka-ken, 430-0807 Japan
第三以下の共国発明者についても同様	に記載し、署名を	(Supply similar information and signature for third and subseq

joint inventors.)

すること)